


Clinical reasoning by pharmacists

What is it and how do pharmacists conduct it?



Created by Vectors Market
from Noun Project

J.F. (Josephine) Mertens-Stutterheim, MSc.

Pharmacist, senior lecturer and researcher

LUMC-UU, THE NETHERLANDS



Declaration of interest


I herewith declare that I have:

no conflict of interests


Clinical reasoning in patient-centered care



Picture from the Pharmaceutisch Weekblad, 2020



Created by I Putu Kharismayadi
from Noun Project



Phase 1
Scoping review



Created by Eucalypt
from Noun Project



Phase 2
Interviews




Created by Chintuza
from Noun Project




Phase 3
Education

Results




Created by I Putu Kharismayadi
from Noun Project




n=9



n=4



Created by I Putu Kharismayadi
from Noun Project




Recommendations



- Explicate stages in the clinical decision-making process
- Put clinical reasoning in context
- Use “diagnostic reasoning” and “therapeutic reasoning”

Questions, remarks and/or suggestions?



Created by Vectors Market
from Noun Project

Research team

Co-promotoren

Dr. E.S. (Ellen) Koster, UU
Dr. V.H.M. (Vera) Deneer, UU

Promotoren

Prof. dr. T. (Teun) van Gelder, LUMC
Prof. dr. M. (Marcel) Bouvy, UU

PhD-candidate
Contact

J.F. (Josephine) Mertens, MSc.,LUMC
j.f.mertens@lumc.nl

