





A tool to support transmural communication between the hospital and the community pharmacist

Ilyse Kenis a,b, Veerle Foulon a

<sup>a</sup>Department of Pharmaceutical and Pharmacological Sciences, Clinical Pharmacology and Pharmacotherapy, KU Leuven, Leuven, Belgium <sup>b</sup>Department of Public Health and Primary Care, University Centre for Nursing and Midwifery, UGent, Gent, Belgium



### **Declaration of interest:**

I herewith declare that I have:

- Ino conflict of interests
- □ received funding from the following companies:
  - Names companies
- □done consulting work for the following companies
  - Names companies
- □done speaking engagements with the following companies:
  - Names companies
- □or my family hold individual shares in the following:
  - Names companies











### Background

Home-based character of oral anticancer therapies (OACT)

Important role for primary care professionals

1

Various barriers for collaboration, e.g. lack of shared electronic patient record

 $\downarrow$ 

In Belgium: community pharmacist (CP) is not informed about start of OACT

#### Methods

- Facilitate transmural communication between hospital and CP
- 2 oncology departments in regional hospitals
- Use of "the envelope" as tool for transmural communication

























GEEF DEZE ENVELOPPE
AAN JE (HUIS)APOTHEKER

REMETTEZ CETTE ENVELOPPE À
VOTRE PHARMACIEN (DE RÉFÉRENCE)

In deze enveloppe vind je je medicatieschema en voorschriften.
Dans cette enveloppe, vous trouverez le schéma des médicaments et les ordonnances,



Medication therapy plan

Prescription(s)



Information leaflet on OACT



Information letter with barcode and QR code













#### Results

Dec '21 – Apr '22: 25 envelopes were received by a CP

16 CPs completed the survey

- Received from patient (n=11) or caregiver (n=5)
- Mean duration of counselling interview: 14 min
- Several actions by CP
- Only 10 envelopes included a therapy plan
- 7 CPs performed medication reconciliation → detection of one discrepancy and one drug-related problem

#### Conclusion

- Valuable and efficient tool
- Intermediate solution in anticipation of shared electronic patient record
- Enables role for CP in the counselling of patients upon initiation of OACT and perform a medication reconciliation













